


**Notes:**

- 1.) Please refer to the installation guide for information on splices, terminations, transitions, and additional details concerning adjacent construction.
- 2.) Minimum and maximum values shown on dimension chart are the limits for proper system performance. Unless otherwise noted, the dimension shown at "A" Mid is the recommended installation joint opening.
- 3.) The system is shipped in nominal standard lengths of 6.5ft (2 meters).
- 4.) Double-sided configuration shown for reference only. Product available in one-sided, uncoated or Pick Resistant options as well. Contact your WBA Sales Representative for more information.
- 5.) Available in gray color only.
- 6.) Depth may vary (2", 3" or 4" deep) depending on UL Listing.



**Wabo FireShield (FSH 25% Only) Detail**

Slab to Slab Condition  
NOT TO SCALE



Size when ordering @ Mean Temperature		Joint Opening "A"								Part Number for Ordering (25% mvmt)			
"A" @ Mid.		Min.		Max.		Total Mov.		System Depth "B"		2hr Rated @ 25% mvmt Coated Both Sides	3hr Rated @ 25% mvmt Coated Both Side	2hr Rated @ 25% mvmt Coated One Side	3hr Rated @ 25% mvmt Coated One Side
Nominal Install J.O.		in	mm	in	mm	in	mm	in	mm				
0.50	13	0.38	10	0.63	16	0.25	6	4.00	102	FSH 60000	FSH 60209	FSH 60404	FSH 60227
1.00	25	0.75	19	1.25	32	0.50	13	4.00	102	FSH 60003	FSH 60215	FSH 60407	FSH 60234
1.50	40	1.13	29	1.88	48	0.75	19	4.00	102	FSH 60005	FSH 60219	FSH 60409	FSH 60238
2.00	50	1.50	38	2.50	64	1.00	25	4.00	102	FSH 60007	FSH 60222	FSH 60411	FSH 60241
2.50	65	1.88	48	3.13	80	1.25	32	4.00	102	FSH 60009	FSH 60224	FSH 60413	FSH 60243
3.00	76	2.25	57	3.75	95	1.50	38	4.00	102	FSH 60011	FSH 60226	FSH 60415	FSH 60245
4.00	102	3.00	76	5.00	127	2.00	51	4.00	102	FSH 60015	(not avail, in 4" size)	FSH 60419	(not avail, in 4" size)
4.50	114	3.38	86	5.63	143	2.25	57	4.00	102	FSH 60017	(not avail, in 4.5" size)	FSH 60421	(not avail, in 4.5" size)

Other intermediate sizes are available up to 4.5" wide, contact WBA for details. Contact your WBA Representative with your special design needs.

PROJECT NAME: -

PROJECT LOCATION: -

DRAWING DESCRIPTION:

**Wabo®FireShield (Horiz 25% mvmt)**

DATE: 02/04/2021

MODEL: FSH



Watson Bowman Acme  
95 Pineview Drive Amherst, NY 14228  
phone: (716) 691-7566 fax: (716) 691-9239  
www.watsonbowmanacme.com

A brand of  
**MBCC GROUP**

Information provided herein, including but not limited to, any drawing, design, photograph, graphic, or statement(s) ("Materials") are proprietary and the property of Watson Bowman Acme Corporation ("Company"). Reproduction, translation, or reduction to any electronic medium or machine readable form, in whole or part, is strictly prohibited, except for the express purpose for which it has been furnished, without prior written consent of Company. All Materials contained herein are provided by Company for information purposes only. Company reserves the right to amend or withdraw any information contained in the Materials without notice. All technical or other advice by Company, whether verbal or written, concerning products, or the use of products in specific situations ("Advice") is given by Company and is used at the Users own risk.

REVISION NO:  
3

SHEET NO:  
1

DRAWING NO:  
A-29888