



Notes:

- 1.) Please refer to the installation guide for information on splices, terminations, transitions, and additional details concerning adjacent construction.
- 2.) Minimum and maximum values shown on dimension chart are the limits for proper system performance. Unless otherwise noted, the dimension shown at "A" Mid is the recommended installation joint opening.
- 3.) The system is shipped in nominal standard lengths of 6.5ft (2 meters).
- 4.) Double-sided configuration shown for reference only. Product available in one-sided, uncoated or Pick Resistant options as well. Contact your WBA Sales Representative for more information.
- 5.) Available in gray color only.
- 6.) Depth may vary (2", 3" or 4" deep) depending on UL Listing.



Wabo®FireShield (FSH 50% Only) Detail

Slab to Slab Condition
NOT TO SCALE



Size when ordering @ Mean Temperature		Joint Opening "A"								Part Number for Ordering (50% mvmt)			
"A" @ Mid.		Min.		Max.		Total Mov.		System Depth "B"		2hr Rated @ 50% mvmt Coated Both Sides***	3hr Rated @ 50% mvmt Coated Both Sides***	2hr Rated @ 50% mvmt Coated One Side	3hr Rated @ 50% mvmt Coated One Side
Nominal Install J.O.		in	mm	in	mm	in	mm	in	mm				
0.50	13	0.25	6	0.75	19	0.50	13	4.00	102	FSH 60380	FSH 60311	FSH 60392	FSH 60329
1.00	25	0.50	13	1.50	38	1.00	25	4.00	102	FSH 60383	FSH 60317	FSH 60395	FSH 60336
1.50	40	0.75	19	2.25	57	1.50	38	4.00	102	FSH 60385	FSH 60321	FSH 60397	FSH 60340
2.00	50	1.00	25	3.00	76	2.00	51	4.00	102	FSH 60387	FSH 60324	FSH 60399	FSH 60343
2.50	65	1.25	32	3.75	95	2.50	64	4.00	102	FSH 60389	FSH 60326	FSH 60401	FSH 60345
3.00	76	1.50	38	4.50	114	3.00	76	4.00	102	FSH 60391	FSH 60328	FSH 60403	FSH 60347
3.50	65	1.75	44	5.25	133	3.50	89	4.00	102	FSH 60532	FSH 60536		FSH 60584
4.00	102	2.00	51	6.00	152	4.00	102	4.00	102	FSH 60589	FSH 60582	(avail. in +37%/-43% only)	FSH 60586
4.50	114	2.25	57	6.75	171	4.50	114	4.00	102	FSH 60591	(not avail. in 4.5" size)	(avail. in +37%/-43% only)	(not avail. in 4.5" size)
5.00	127	2.50	64	7.50	191	5.00	127	4.00	102	FSH 60593	(not avail in 5.0" size)	(not avail in 5.0" size)	(not avail in 5.0" size)

Other intermediate sizes are available up to 4.5" wide, contact WBA for details. Contact your WBA Representative with your special design needs.

PROJECT NAME: _____

PROJECT LOCATION: _____

DRAWING DESCRIPTION:
Wabo®FireShield (Horiz 50% Mvmt)

DATE: 02/04/2021 MODEL: FSH



Watson Bowman Acme
95 Pineview Drive Amherst, NY 14228
phone: (716) 691-7566 fax: (716) 691-9239
www.watsonbowmanacme.com

A brand of
MBCC GROUP

Information provided herein, including but not limited to, any drawing, design, photograph, graphic, or statement(s) ("Materials") are proprietary and the property of Watson Bowman Acme Corporation ("Company"). Reproduction, translation, or reduction to any electronic medium or machine readable form, in whole or part, is strictly prohibited, except for the express purpose for which it has been furnished, without prior written consent of Company. All Materials contained herein are provided by Company for information purposes only. Company reserves the right to amend or withdraw any information contained in the Materials without notice. All technical or other advice by Company, whether verbal or written, concerning products, or the use of products in specific situations ("Advice") is given by Company and is used at the Users own risk.

REVISION NO:
3

SHEET NO:
2

DRAWING NO:
A-29888