

# LEED v4 & 4.1

## Wabo®SafetyFlex



### LEED® BD+C: NC, CS, SCHOOLS, RETAIL, DATA CENTERS, WAREHOUSES & DISTRIBUTION CENTERS, HOSPITALITY, HEALTHCARE

<b>CSI Division</b>	07 95 00	<b>Product Manufacturer</b>	Watson Bowman Acme
<b>Product Name</b>	Wabo®SafetyFlex		
<b>Product Description</b>	Wabo®SafetyFlex (United States Patent No 6.751.918.) is an elastomeric hinged cover system that is ideal for pedestrian walkway areas as well as in low-speed vehicular traffic areas. Independent metal plates integral to the rubber cover allows the system to flex in response to changes in vertical displacement between opposing slabs. Used in both recessed and surface mount applications.		

Recycled Content Pre-consumer Post-consumer	<b>Pre</b>	<b>Post</b>
	<b>64%</b>	<b>0%</b>

<b>Indoor Environmental Quality (EQ) Credits</b>	Low-Emitting Materials: VOC emissions evaluation	California Department of Public Health (CDPH) v1.2 Emissions Test* availability	N/A
<b>Indoor Environmental Quality (EQ) Credits</b>	Low-Emitting Materials: VOC content	Has a Volatile Organic Compound (VOC) content of	Inherently non-emitting N/A

VOC emissions evaluations follow guidance from: California Department of Public Health (CDPH) standard method V1.2-2017 and complies with limits in Table 4-1 of the method;  
 VOC content evaluation follow: Adhesives and Sealants: SCAQMD Rule 1168 effective October 6, 2017, OR Paints and Coatings: CARB 2007 (SCM) for Architectural Coatings and (SCAQMD) Rule 1113, effective February 5, 2016

Respectfully,  
**LEED Administrator**  
 Tel: 1-800-677-4922



"LEED" is a trademark of the U.S. Green Building Council

**Watson Bowman Acme**  
 95 Pineview Drive  
 Amherst, NY 14228

A brand of

**MBCC GROUP**

August 24, 2023