Revision date: 2018/02/22 Page: 1/9

Version: 4.0 (30571798/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

WABO Foam Seal Bonder- Beige PTB

Recommended use of the chemical and restriction on use

Recommended use*: for industrial and professional users

Details of the supplier of the safety data sheet

Company:

Watson Bowman Acme

95 Pineview Drive Amherst, NY 14228

Emergency telephone number

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Chemical family: No data available.

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Acute Tox. 4 (oral) Acute toxicity

Skin Corr./Irrit. 1B Skin corrosion/irritation

Eye Dam./Irrit. 1 Serious eye damage/eye irritation

Skin Sens. 1A Skin sensitization
Repr. 2 (fertility) Reproductive toxicity

Aquatic Acute 3 Hazardous to the aquatic environment - acute Aquatic Chronic 3 Hazardous to the aquatic environment - chronic

Label elements

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date : 2018/02/22 Page: 2/9
Version: 4.0 (30571798/SDS_GEN_US/EN)

Pictogram:



Signal Word: Danger

Hazard Statement:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.
H361 Suspected of damaging fertility.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

P260 Do not breathe dust or mist.
P273 Avoid release to the environment.
P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P272 Contaminated work clothing should not be allowed out of the workplace.

P270 Do not eat, drink or smoke when using this product.

P264 Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

P310 Immediately call a POISON CENTER or doctor/physician.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P303 + P361 + P352 IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

oreathing.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage): P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection

point.

Hazards not otherwise classified

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Revision date : 2018/02/22 Page: 3/9 Version: 4.0 (30571798/SDS_GEN_US/EN)

CAS Number	Weight %	Chemical name
100-51-6	>= 20.0 - < 50.0%	Benzyl alcohol
1317-65-3	>= 15.0 - < 20.0%	Limestone
2855-13-2	>= 10.0 - < 20.0%	3-aminomethyl-3,5,5-trimethylcyclohexylamine
80-05-7	>= 5.0 - < 15.0%	bisphenol A
1477-55-0	>= 5.0 - < 15.0%	1,3-Benzenedimethanamine
25068-38-6	>= 5.0 - < 7.0%	Reaction product: bisphenol-A-(epichlorhydrin)-Epoxy
		resin (number average molecular weight <= 700)

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.

If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

If on skin:

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Hazards: No applicable information available.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: carbon dioxide, dry powder, foam, water spray

Special hazards arising from the substance or mixture

Revision date : 2018/02/22 Page: 4/9
Version: 4.0 (30571798/SDS_GEN_US/EN)

Hazards during fire-fighting:

carbon dioxide, carbon monoxide, nitrogen oxides, fumes/smoke, carbon black, corrosive gases/vapours

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Do not breathe vapour/aerosol/spray mists. Handle in accordance with good building materials hygiene and safety practice.

Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with inert absorbent material (e.g. sand, earth etc.). Dispose of contaminated material as prescribed. For large amounts: Pump off product.

7. Handling and Storage

Precautions for safe handling

Keep away from sources of ignition - No smoking. Keep container tightly sealed. Handle and open container with care.

Protection against fire and explosion:

The product is not an oxidizer, not self-combustible and not explosive.

Conditions for safe storage, including any incompatibilities

Observe VCI storage rules.

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect from direct sunlight. Store protected against freezing.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

Limestone OSHA PEL PEL 5 mg/m3 Respirable fraction : PEL 15

mg/m3 Total dust ; TWA value 5 mg/m3 Respirable fraction ; TWA value 15 mg/m3

Total dust;

Revision date : 2018/02/22 Page: 5/9 Version: 4.0 (30571798/SDS_GEN_US/EN)

1,3- OSHA PEL CLV 0.1 mg/m3; SKIN_FINAL;

Benzenedimethanamine The substance can be absorbed through the skin.

ACGIH TLV Skin Designation;

The substance can be absorbed through the skin.

CLV 0.1 mg/m3;

Advice on system design:

No applicable information available.

Personal protective equipment

Respiratory protection:

Wear a NIOSH-certified (or equivalent) respirator as necessary.

Hand protection:

Wear chemical resistant protective gloves., Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Tightly fitting safety goggles (chemical goggles) and face shield.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Handle in accordance with good building materials hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

9. Physical and Chemical Properties

Form: paste

Odour: ammonia-like

Odour threshold: No applicable information available.

Colour: beige to grey

pH value: The product has not been tested.

Melting point: No applicable information available.

Boiling point: The product has not been tested.

Sublimation point: No applicable information available.

Flash point: 110 °C

Flammability: not determined
Lower explosion limit: No data available.
Upper explosion limit: No data available.
Autoignition: No data available.
Vapour pressure: No data available.

Density: 1.17 g/cm3

Relative density: No applicable information available.

Vapour density: No data available. Partitioning coefficient n- No data available.

octanol/water (log Pow):

Thermal decomposition: No decomposition if stored and handled as

prescribed/indicated.

Revision date : 2018/02/22 Page: 6/9 Version: 4.0 (30571798/SDS_GEN_US/EN)

Viscosity, dynamic: No data available.

Viscosity, kinematic: No applicable information available.

Solubility in water: emulsifiable

Solubility (quantitative): No applicable information available. Solubility (qualitative): No applicable information available. Evaporation rate: No applicable information available.

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

Reacts with amines.

Conditions to avoid

See MSDS section 7 - Handling and storage.

Incompatible materials

strong oxidizing agents, strong bases, strong acids

Hazardous decomposition products

Decomposition products: carbon oxides, nitrogen oxides

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Harmful if swallowed.

<u>Oral</u>

Type of value: ATE Value: 1,270 mg/kg

Inhalation

No applicable information available.

Revision date : 2018/02/22 Page: 7/9
Version: 4.0 (30571798/SDS_GEN_US/EN)

Dermal

No applicable information available.

Assessment other acute effects

No applicable information available.

Irritation / corrosion

Assessment of irritating effects: Causes burns.

Sensitization

Assessment of sensitization: May cause allergic skin reaction.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: No applicable information available.

Genetic toxicity

Assessment of mutagenicity: No applicable information available.

Reproductive toxicity

Assessment of reproduction toxicity: Possible risk of impaired fertility.

Information on: bisphenol A

Assessment of reproduction toxicity: The results of animal studies suggest a fertility impairing effect.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Additional information

Other ecotoxicological advice:

May cause long-term adverse effects in the aquatic environment.

13. Disposal considerations

Waste disposal of substance:

Observe national and local legal requirements. Residues should be disposed of in the same manner as the substance/product.

Revision date : 2018/02/22 Page: 8/9
Version: 4.0 (30571798/SDS_GEN_US/EN)

Container disposal:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

14. Transport Information

Land transport

USDOT

Hazard class: 8
Packing group: III

ID number: UN 2735

Hazard label: 8

Proper shipping name: AMINES, LIQUID, CORROSIVE, N.O.S. (contains

ISOPHORONEDIAMINE, M-PHENYLENEBIS(METHYLAMINE))

Sea transport

IMDG

Hazard class: 8 Packing group: III

ID number: UN 2735

Hazard label: 8
Marine pollutant: NO

Proper shipping name: AMINES, LIQUID, CORROSIVE, N.O.S. (contains

ISOPHORONEDIAMINE, M-PHENYLENEBIS(METHYLAMINE))

Air transport

IATA/ICAO

Hazard class: 8 Packing group: III

ID number: UN 2735

Hazard label: 8

Proper shipping name: AMINES, LIQUID, CORROSIVE, N.O.S. (contains

ISOPHORONEDIAMINE, M-PHENYLENEBIS(METHYLAMINE))

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US released / listed

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

EPCRA 313:

CAS Number 80-05-7 Chemical name bisphenol A

State regulations

State RTK CAS Number Chemical name

PA 1477-55-0 1,3-Benzenedimethanamine

100-51-6 Benzyl alcohol

Revision date : 2018/02/22	Page: 9/9
Version: 4.0	(30571798/SDS_GEN_US/EN)

		(000, 1100, 010, 010, 010, 010, 010, 010
MA	1317-65-3 80-05-7 1477-55-0 100-51-6 1317-65-3 80-05-7	Limestone bisphenol A 1,3-Benzenedimethanamine Benzyl alcohol Limestone bisphenol A
NJ	1477-55-0 2855-13-2 80-05-7 1317-65-3	1,3-Benzenedimethanamine 3-aminomethyl-3,5,5-trimethylcyclohexylamine bisphenol A Limestone

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

WARNING: This product can expose you to chemicals including BISPHENOL A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

NFPA Hazard codes:

Health: 3 Fire: 1 Reactivity: 0 Special:

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2018/02/22

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. **END OF DATA SHEET**