WABO Foam Seal Bonder- Beige PTB

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/19/2021 000000260492 Date of first issue: 10/19/2021

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : WABO Foam Seal Bonder- Beige PTB

Product code : 00000000050303456

Other means of identification : Part #2754

Manufacturer or supplier's details

Company name of supplier : Watson Bowman Acme Corp.

Address : 95 Pineview Drive

Amherst, NY 14228

Emergency telephone : ChemTel: +1-813-248-0585; Mexico: 800-099-0731; Ciudad

de México: +55 55591588; 800-00-214-00

Recommended use of the chemical and restrictions on use

Recommended use : Adhesives

Restrictions on use : Reserved for industrial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Skin corrosion : Category 1B

Serious eye damage : Category 1

Skin sensitization : Category 1

Reproductive toxicity : Category 1B

Short-term (acute) aquatic

hazard

Category 3

Long-term (chronic) aquatic

hazard

Category 3

GHS label elements

Hazard pictograms :







Signal Word : Danger

Hazard Statements : H302 + H332 Harmful if swallowed or if inhaled.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H360F May damage fertility.

WABO Foam Seal Bonder- Beige PTB

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/19/2021 000000260492 Date of first issue: 10/19/2021

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of

the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT

induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON

CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Epoxy constituents

Components

Chemical name CAS-No. Concentration (% w/w)

WABO Foam Seal Bonder- Beige PTB

Version **Revision Date:** SDS Number: Date of last issue: -

10/19/2021 000000260492 Date of first issue: 10/19/2021 1.0

Benzyl alcohol	100-51-6	>= 20 -< 50
Limestone	1317-65-3	>= 10 -< 20
3-aminomethyl-3,5,5-trimethylcyclohexylamine	2855-13-2	>= 10 -< 20
bisphenol A	80-05-7	>= 5 -< 10
m-phenylenebis(methylamine)	1477-55-0	>= 5 -< 10
bisphenol A-epichlorohydrin resin	25068-38-6	>= 5 -< 10

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice First aid personnel should pay attention to their own safety.

Immediately remove contaminated clothing.

If inhaled If difficulties occur after vapour/aerosol has been inhaled.

remove to fresh air and seek medical attention.

In case of skin contact After contact with skin, wash immediately with plenty of water

and soap.

Under no circumstances should organic solvent be used.

If irritation develops, seek medical attention.

In case of contact, immediately flush eyes with plenty of water In case of eye contact

for at least 15 minutes.

Keep eye wide open while rinsing.

Remove contact lenses. Seek medical advice.

Immediately rinse mouth and then drink 200-300 ml of water, If swallowed

seek medical attention.

Do not induce vomiting unless told to by a poison control cen-

ter or doctor.

Most important symptoms

and effects, both acute and

Notes to physician

delayed

Harmful if swallowed or if inhaled.

Causes severe skin burns and eye damage. May cause an allergic skin reaction.

May damage fertility. : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Carbon dioxide (CO2) Suitable extinguishing media :

> Dry powder Foam

Water spray

Hazardous combustion prod-

ucts

nitrogen oxides Carbon oxides

fumes/smoke carbon black

corrosive gases/vapours

Specific extinguishing meth-

The degree of risk is governed by the burning substance and

the fire conditions.

Contaminated extinguishing water must be disposed of in

accordance with official regulations.

Special protective equipment

for fire-fighters

Firefighters should be equipped with self-contained breathing

apparatus and turn-out gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

WABO Foam Seal Bonder- Beige PTB

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/19/2021 000000260492 Date of first issue: 10/19/2021

Personal precautions, protec-:

tive equipment and emer-

gency procedures

Use personal protective clothing.

Do not breathe vapour/aerosol/spray mists.

Handle in accordance with good building materials hygiene

and safety practice.

Environmental precautions : Contain contaminated water/firefighting water.

Do not discharge into drains/surface waters/groundwater.

Methods and materials for

containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Pick up with suitable appliance and dispose of.

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

The product is not an oxidizer, not self-combustible and not

explosive.

Advice on safe handling : Handle and open container with care.

Wear personal protective equipment. Avoid contact with skin and eyes.

Avoid aerosol formation. Keep container tightly sealed.

Keep away from sources of ignition - No smoking.

Hygiene measures : When using, do not eat, drink or smoke.

Hands and/or face should be washed before breaks and at the

end of the shift.

At the end of the shift the skin should be cleaned and skin-

care agents applied.

Gloves must be inspected regularly and prior to each use.

Replace if necessary (e.g. pinhole leaks).

Further information on stor-

age conditions

Keep only in the original container in a cool, dry, well-

ventilated place away from ignition sources, heat or flame.

Protect from direct sunlight. Store protected against freezing.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
		exposure)	concentration	
m-phenylenebis(methylamine)	1477-55-0	CLV	0.1 mg/m3	OEL (MX)
		VLE-P	0.1 mg/m3	NOM-010-
				STPS-2014
		С	0.018 ppm	ACGIH

Engineering measures : Ensure adequate ventilation.

Personal protective equipment

Respiratory protection : Wear appropriate certified respirator when exposure limits

may be exceeded.

Use NIOSH approved respiratory protection.

Hand protection

WABO Foam Seal Bonder- Beige PTB

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/19/2021 000000260492 Date of first issue: 10/19/2021

Remarks : Wear chemical resistant protective gloves. Protective glove

selection must be based on the user's assessment of the

workplace hazards.

Eye protection : Tightly fitting safety goggles (chemical goggles) and face

shield.

Skin and body protection : Body protection must be chosen depending on activity and

possible exposure, e.g. head protection, apron, protective

boots, chemical-protection suit.

Protective measures : Do not inhale gases/vapours/aerosols.

Avoid contact with the skin, eyes and clothing.

Handle in accordance with good building materials hygiene

and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Color : beige to grey

Odor : ammonia-like

Odor Threshold : not determined

pH : No data available

Freezing point : No data available

Boiling point : No data available

Flash point : 110 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not classified as a flammability hazard

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 1.17 g/cm3

Solubility(ies)

Water solubility : emulsifiable

Solubility in other solvents : No data available

WABO Foam Seal Bonder- Beige PTB

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/19/2021 000000260492 Date of first issue: 10/19/2021

Partition coefficient: n-

octanol/water

: not applicable for mixtures

Autoignition temperature : No data available

Decomposition temperature : No decomposition if stored and handled as pre-

scribed/indicated.

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : not fire-propagating

Sublimation point : No data available

Molecular weight : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No hazardous reactions if stored and handled as pre-

scribed/indicated.

Chemical stability : The product is stable if stored and handled as pre-

scribed/indicated.

Possibility of hazardous reac-

tions

Reacts with amines.

Conditions to avoid : See SDS section 7 - Handling and storage.

Incompatible materials : Strong oxidizing agents

Strong bases Strong acids

Hazardous decomposition : ca

products

carbon oxides nitrogen oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed or if inhaled.

Product:

Acute oral toxicity : Acute toxicity estimate: 870 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 3.45 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Skin corrosion/irritation

Causes severe burns.

WABO Foam Seal Bonder- Beige PTB

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/19/2021 000000260492 Date of first issue: 10/19/2021

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

May damage fertility.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-

mation

Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual

components.

WABO Foam Seal Bonder- Beige PTB

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/19/2021 000000260492 Date of first issue: 10/19/2021

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Observe national and local legal requirements.

Residues should be disposed of in the same manner as the

substance/product.

Contaminated packaging : Contaminated packaging should be emptied as far as possible

and disposed of in the same manner as the sub-

stance/product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 2735

Proper shipping name : AMINES, LIQUID, CORROSIVE, N.O.S.

Class : 8
Packing group : III
Labels : 8

IATA-DGR

UN/ID No. : UN 2735

Proper shipping name : AMINES, LIQUID, CORROSIVE, N.O.S.

(ISOPHORONEDIAMNINE, M-PHENYLENEBIS(METHYLAMINE))

Class : 8 Packing group : III

Labels : Corrosive Packing instruction (cargo : 856

aircraft)

Packing instruction (passen: 852

ger aircraft)

IMDG-Code

UN number : UN 2735

Proper shipping name : AMINES, LIQUID, CORROSIVE, N.O.S.

(ISOPHORONEDIAMNINE, M-PHENYLENEBIS(METHYLAMINE))

Class : 8
Packing group : III
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

WABO Foam Seal Bonder- Beige PTB

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/19/2021 000000260492 Date of first issue: 10/19/2021

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting

the Work Environment - Identification, Assessment and Con-

trol - Appendix 1 Occupational Exposure Limits

OEL (MX) : Occupational Exposure Limit Values (Mexico)

ACGIH / C : Ceiling limit NOM-010-STPS-2014 / VLE- : Ceiling value

Ρ

OEL (MX) / CLV : Ceiling Limit Value:

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 10/19/2021

WABO Foam Seal Bonder- Beige PTB

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/19/2021 000000260492 Date of first issue: 10/19/2021

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / EN