# WABOCRETE II PTA

Vers 4.0	ion	Revision Date: 06/28/2022		9S Number: 0000258318	Date of last issue: 09/21/2021 Date of first issue: 12/07/2020			
SEC	SECTION 1. PRODUCT AND COMPANY IDENTIFICATION							
	Product	name	:	WABOCRETE II F	PTA			
	Product	code	:	0000000005043	5608			
	Other means of identification		:	Part #14380H				
	Manufacturer or supplier's details							
	Company name of supplier		:	Watson Bowman	Acme Corp.			
	Address		:	95 Pineview Drive Amherst, NY 14228				
	Emerge	ency telephone	:		-248-0585; Mexico: 800-099-0731; Ciudad 5591588; 800-00-214-00			
	Recommended use of the chemical and restrictions on use							
	Recom	mended use	:	Product for constr	uction chemicals			
	Restrict	ions on use	:	Reserved for indu	strial and professional use.			

## **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification		
Acute toxicity (Inhalation)	:	Category 4
Skin irritation	:	Category 2
Eye irritation	:	Category 2B
Respiratory sensitization	:	Category 1
Skin sensitization	:	Category 1B
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2 (Respiratory system, Olfactory organs)
GHS label elements		
Hazard pictograms	:	

Signal Word

: Danger

<!

# WABOCRETE II PTA

rsion )	Revision Date: 06/28/2022	SDS Number: 000000258318	Date of last issue: 09/21/2021 Date of first issue: 12/07/2020
Hazar	rd Statements	H317 May cau H332 Harmful H334 May cau culties if inhale H335 May cau H373 May cau	se allergy or asthma symptoms or breathing diff
Preca	utionary Statements	Prevention:	
		P264 Wash sk P271 Use only P272 Contami the workplace. P280 Wear pro	reathe mist or vapors. in thoroughly after handling. outdoors or in a well-ventilated area. nated work clothing must not be allowed out of otective gloves. of inadequate ventilation wear respiratory protect
		<b>Response:</b> P302 + P352	F ON SKIN: Wash with plenty of soap and wate
		P304 + P340 - and keep com doctor if you fe P305 + P351 - for several min to do. Continue	<ul> <li>P312 IF INHALED: Remove person to fresh ai fortable for breathing. Call a POISON CENTER, wel unwell.</li> <li>P338 IF IN EYES: Rinse cautiously with water nutes. Remove contact lenses, if present and ea</li> </ul>
		tion.	f eye irritation persists: Get medical advice/ atte f experiencing respiratory symptoms: Call a TER/ doctor.
			contaminated clothing and wash before reuse.
		Storage:	Store in a well ventilated place. Keep container
		tightly closed. P405 Store loc	Store in a well-ventilated place. Keep container keed up.
		Disposal:	
		P501 Dispose posal plant.	of contents/ container to an approved waste dis
Other	hazards		

CAUSE RESPIRATORY IRRITATION, BREATHLESSNESS, CHEST DISCOMFORT AND REDUCED PULMONARY FUNCTION. OVEREXPOSURE WELL ABOVE THE PEL MAY RESULT IN BRONCHITIS, BRONCHIAL SPASMS AND PULMONARY EDEMA. LONG-TERM EXPOSURE TO ISOCYANATES HAS BEEN REPORTED TO CAUSE LUNG DAMAGE, INCLUDING REDUCED LUNG FUNCTION WHICH MAY BE PERMANENT. ACUTE OR CHRONIC OVEREXPOSURE TO ISOCYANATES MAY CAUSE SENSITIZATION IN SOME INDIVIDUALS, RESULTING IN ALLERGIC RESPIRATORY REACTIONS INCLUDING WHEEZING, SHORTNESS OF BREATH AND DIFFICULTY BREATHING. ANIMAL TESTS

# WABOCRETE II PTA

Version	Revision Date: 06/28/2022	SDS Number:	Date of last issue: 09/21/2021
4.0		000000258318	Date of first issue: 12/07/2020
	CATE THAT SKIN CO SITIZATION.	NTACT MAY PLAY A	ROLE IN CAUSING RESPIRATORY

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Isocyanates

#### Components

CAS-No.	Concentration (% w/w)
101-68-8	>= 25 -< 50
26447-40-5	>= 25 -< 50
	101-68-8

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice	:	First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.
If inhaled	:	Keep patient calm, remove to fresh air. If symptoms persist, seek medical advice.
In case of skin contact	:	After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.
In case of eye contact	:	Contact lenses should be removed. Hold eyelids open and flush with copious amounts of clean, fresh water or a special eyewash solution and seek medical advice.
If swallowed	:	Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control cen- ter or doctor.
Most important symptoms and effects, both acute and delayed	:	Causes skin and eye irritation. May cause an allergic skin reaction. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure if inhaled.
Notes to physician	:	Treat symptomatically.

### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	:	Foam Water spray
		Dry powder

# WABOCRETE II PTA

Vers 4.0	sion	Revision Date: 06/28/2022		DS Number: 0000258318	Date of last issue: 09/21/2021 Date of first issue: 12/07/2020
				Carbon dioxide (C	CO2)
Unsuitable extinguishing media		:	water jet		
	Hazardous combustion prod- ucts		:	nitrous gases fumes/smoke isocyanate harmful vapours	
	Specific extinguishing meth- ods		:	Dispose of fire de	cool by spraying with water if exposed to fire. bris and contaminated extinguishing water in official regulations.
		l protective equipment fighters	:	Firefighters shoul apparatus and tur	d be equipped with self-contained breathing n-out gear.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	•	Clear area. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.
Environmental precautions :	:	Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.
Methods and materials for : containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

#### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: The product is not easily combustible and also not self com- bustible.
Advice on safe handling	<ul> <li>Provide suitable exhaust ventilation at the processing machines.</li> <li>Ensure thorough ventilation of stores and work areas.</li> <li>Avoid aerosol formation.</li> <li>When handling heated product, vapours of the product should be ventilated, and respiratory protection used.</li> <li>Wear respiratory protection when spraying.</li> <li>Use suitable chemically resistant gloves.</li> <li>Danger of bursting when sealed gastight.</li> <li>Protect against moisture.</li> <li>If bulging of drum occurs, transfer to well ventilated area, puncture to relieve pressure, open vent and let stand for 48 hours before resealing.</li> </ul>
Hygiene measures	<ul> <li>When using, do not eat, drink or smoke.</li> <li>Hands and/or face should be washed before breaks and at the end of the shift.</li> <li>At the end of the shift the skin should be cleaned and skin-</li> </ul>

# WABOCRETE II PTA

Version 4.0	Revision Date: 06/28/2022		DS Number: 0000258318	Date of last issue: 09/21/2021 Date of first issue: 12/07/2020	
				ed. nspected regularly and prior to each use. sary (e.g. pinhole leaks).	
			Remove contamir re-use or dispose	nated clothing immediately and clean before it if necessary.	
Con	Conditions for safe storage		Keep container tightly closed in a dry and well-ventilated place.		
	Further information on stor- age conditions		Keep only in the original container in a cool, dry, well- ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.		
Mate	Materials to avoid		Keep away from water. Segregate from foods and animal feeds. Segregate from acids and bases.		
	Recommended storage tem- perature		16 - 27 °C		
	ner information on stor- stability	:	pressure builds up The stated storag	e temperature is noted for health and safety With regard to Quality, please refer to the	

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Diphenylmethane-4,4'- diisocyanate (MDI)	101-68-8	VLE-PPT	0.005 ppm	NOM-010- STPS-2014
		TWA	0.005 ppm	ACGIH

#### **Engineering measures** : Ensure adequate ventilation.

#### Personal protective equipment

<ul> <li>Respiratory protection</li> <li>When workers are facing concentrations above the occup tional exposure limits they must use appropriate certified respirators.</li> <li>When atmospheric levels may exceed the occupational e posure limit (PEL or TLV) NIOSH-certified air-purifying re rators equipped with an organic vapor sorbent and partic filter can be used as long as appropriate precautions and change out schedules are in place.</li> <li>For emergency or non-routine, high exposure situations, cluding confined space entry, use a NIOSH-certified full f piece pressure demand self-contained breathing apparat (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.</li> </ul>	certified ational ex- ifying respi- d particulate ons and iations, in- ied full face- apparatus
--	--

# WABOCRETE II PTA

Version 4.0	Revision Date: 06/28/2022	SDS Number: 000000258318	Date of last issue: 09/21/2021 Date of first issue: 12/07/2020
Hand	protection		
Re	emarks	vent all skin c prene rubber	stant protective gloves should be worn to pre- ontact. Suitable materials may include chloro- (Neoprene) nitrile rubber (Buna N) chlorinated polyvinylchloride (Pylox) butyl rubber depending ns of use.
Еуе р	rotection		safety goggles (chemical goggles). eld if splashing hazard exists.
Skin a	and body protection	skin contact. Suitable mate saran-coated	ch of the exposed skin as possible to prevent all rials may include material on conditions of use.
Protec	ctive measures	Eye wash fou cessible.	ve clothing as necessary to prevent contact. ntains and safety showers must be easily ac- appropriate PEL or TLV value.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	light yellow
Odor	:	faintly aromatic
Odor Threshold	:	not determined
рН	:	Not applicable
Freezing point	:	-10 °C
Boiling point/boiling range	:	200 °C (7 hPa)
Flash point	:	> 200 °C
		Method: open cup
Evaporation rate	:	No data available
Flammability (liquids)	:	Not classified as a flammability hazard
Self-ignition	:	Based on its structural properties the product is not classified as self-igniting.
Upper explosion limit / Upper	:	For liquids not relevant for classification and labelling.

# WABOCRETE II PTA

Vers 4.0	sion	Revision Date: 06/28/2022		S Number: 0000258318	Date of last issue: 09/21/2021 Date of first issue: 12/07/2020
	flamma	bility limit			
		explosion limit / Lower bility limit	:		levant for classification and labelling. The point may be 5 - 15 °C below the flash point.
	Vapor p	pressure	:	< 0.0001 mmHg	(25 °C)
	Relative	e vapor density	:	No data available	9
	Relative	e density	:	No data available	9
	Density	,	:	1.214 g/cm3 (20	°C)
	Solubili Wat	ty(ies) er solubility	:	Reacts with wate	r.
	Solu	bility in other solvents	:	No data available	9
	Partition octanol	n coefficient: n- /water	:	not applicable for	r mixtures
	Autoign	ition temperature	:	> 470 °C	
	Decom	position temperature	:	No decompositio scribed/indicated	n if stored and handled as pre-
	Viscosi Visc	ty osity, dynamic	:	640 mPa.s ( 25 °	C)
	Visc	osity, kinematic	:	No data available	9
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	Not an oxidizer.	
	Sublima	ation point	:	No data available	9
	Molecu	lar weight	:	No data available	9
	Metal c	orrosion rate	:	No corrosive effe	ect on metal.

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazardous reactions if stored and handled as pre- scribed/indicated.
Chemical stability	:	The product is stable if stored and handled as pre- scribed/indicated.
Possibility of hazardous reac- tions	:	On contact with water, gaseous decomposition products are formed, which cause build-up of pressure in tightly closed containers. Reacts with alcohols.

# WABOCRETE II PTA

Version 4.0	Revision Date: 06/28/2022		S Number: )000258318	Date of last issue: 09/21/2021 Date of first issue: 12/07/2020
				lies. nes. nic reaction.
Co	nditions to avoid	:	Avoid moisture.	
Inc	compatible materials	:	Acids Amines Alcohols Water Alkalines Strong bases Substances/proc	ducts that react with isocyanates.
	zardous decomposition oducts	:		

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Harmful if inhaled.		
Product: Acute inhalation toxicity	: Acute toxicity estimate: 13.75 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method	

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes eye irritation.

#### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### **Respiratory sensitization**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

# WABOCRETE II PTA

Version 4.0	Revision Date: 06/28/2022	SDS Number: 000000258318	Date of last issue: 09/21/2021 Date of first issue: 12/07/2020
Rep	roductive toxicity		
Not	classified based on avai	lable information.	
STO	T-single exposure		
May	cause respiratory irritati	on.	
STO	T-repeated exposure		
	cause damage to organ ed exposure if inhaled.	s (Respiratory syst	em, Olfactory organs) through prolonged or re-
Asp	iration toxicity		
Not	classified based on avai	lable information.	
Furt	her information		
Proc	duct:		
Rem	narks	•	has not been tested. The statements on toxicolo- n derived from the properties of the individual
SECTION	N 12. ECOLOGICAL INF	FORMATION	
Eco	toxicity		
Proc	duct:		
Eco	toxicology Assessmen	t	
Acut	e aquatic toxicity	: This product	has no known ecotoxicological effects.
Chro	onic aquatic toxicity	: This product	has no known ecotoxicological effects.

#### Persistence and degradability

Pr	00	du	ct	:

Product:		
Biodegradability	:	Remarks: Taking into consideration the properties of several ingredients, the product is estimated not to be readily biode-gradable according to OECD classification.
Stability in water	:	Degradation half life: 20 h Hydrolysis: at 25 °C
Bioaccumulative potential		
Product:		
Bioaccumulation	:	Remarks: No data available. Discharge into the environment must be avoided.
Mobility in soil		
No data available		
Other adverse effects		
Product:		

# WABOCRETE II PTA

Version 4.0	Revision Date: 06/28/2022	SDS Number: 000000258318	Date of last issue: 09/21/2021 Date of first issue: 12/07/2020				
	Additional ecological infor- mation		: Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxi- cology have been derived from the properties of the individual components.				
SECTION	13. DISPOSAL CONS	IDERATIONS					
Disp	osal methods						
Wast	e from residues	Do not discl	or dispose of in a licensed facility. harge substance/product into sewer system. aminate ponds, waterways or ditches with chemi- container.				
Conta	aminated packaging		ed packaging should be emptied as far as possible ed of in the same manner as the sub-				

Disposal methods	5	
Waste from residue	es :	Incinerate or dispose of in a licensed facility. Do not discharge substance/product into sewer system. Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
Contaminated pack	aging :	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product. Do not attempt to refill or clean containers since residue is difficult to remove. Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

#### UNRTDG

Not regulated as a dangerous good

### **IATA-DGR**

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

#### Special precautions for user

Not applicable

#### **SECTION 15. REGULATORY INFORMATION**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

NOM-165-SEMARNAT-2013, Norm establishing a list of substances subject to report for the Registry of Emissions and Pollutant Transfer CAS-No. Components MPU (kg/year) Transfer/Release (kg/year)

100 kg/year

Diphenylmethane-4,4'-	101-68-8	5000 kg/year
diisocyanate (MDI)		

# WABOCRETE II PTA

Version	Revision Date: 06/28/2022	SDS Number:	Date of last issue: 09/21/2021
4.0		000000258318	Date of first issue: 12/07/2020

MPU: Applicable reporting threshold when the substance, pure or in mixture in a composition of more than 1% by weight, is used for industrial activities at facilities that are subject to report or are produced by them

Not applicable

Federal Law for the control of chemical precursors, : essential chemical products and machinery for producing capsules, tablets and pills.

#### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NOM-010-STPS-2014	:	Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting
		the Work Environment - Identification, Assessment and Con-
		trol - Appendix 1 Occupational Exposure Limits
ACGIH / TWA	:	8-hour, time-weighted average
NOM-010-STPS-2014 / VLE-	:	Time weighted average limit value
PPT		

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

**Revision Date** 

: 06/28/2022

# WABOCRETE II PTA

VersionRevision Date:SDS Number:Date of last issue: 09/21/20214.006/28/2022000000258318Date of first issue: 12/07/2020				
--	--	--	--	--

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / EN