WABO GEL LOC 1:1 PTB

Vers 1.0	sion	Revision Date: 08/01/2022		0S Number: 0000014655	Date of last issue: - Date of first issue: 08/01/2022
SEC	TION 1				
	Product	t name	:	WABO GEL LOC	1:1 PTB
	Product	t code	:	0000000005841	2608
	Other n	neans of identification	:	Part #80056	
	Manufacturer or supplier's of Company name of supplier				Acme Corp.
	Addres	5	:	95 Pineview Drive Amherst, NY 142	
	Emerge	ency telephone	:	ChemTel: +1-813	-248-0585
		al Emergency Tele- Number	:	USA: +1-800-25	5-3924 ChemTel contract no. MIS9240420
	Recom	mended use of the cl	hen	nical and restriction	ons on use
	Recom	mended use	:	Sealant	
	Restrict	tions on use	:	Reserved for indu	strial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral)	:	Category 4
Skin corrosion	:	Category 1
Serious eye damage	:	Category 1
Skin sensitization	:	Category 1
Reproductive toxicity	:	Category 1B
Short-term (acute) aquatic hazard	:	Category 1
Long-term (chronic) aquatic hazard	:	Category 1

GHS label elements

WABO GEL LOC 1:1 PTB

Version 1.0	Revision Date: 08/01/2022	SDS Number:Date of last issue: -960000014655Date of first issue: 08/01/2022
Hazai	rd pictograms	
Signa	ll Word	: Danger
Hazar	rd Statements	 H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H360 May damage fertility or the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.
Preca	autionary Statements	 Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P261 Avoid breathing mist or vapors. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing must not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
		 Response: P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P363 Wash contaminated clothing before reuse. P391 Collect spillage.
		Storage: P405 Store locked up. Disposal: P501 Dispose of contents/ container to an approved waste dis- posal plant.

WABO GEL LOC 1:1 PTB

Version	Revision Date:	SDS Number:	Date of
1.0	08/01/2022	96000014655	Date of

Date of last issue: -Date of first issue: 08/01/2022

Other hazards

Inhalation of vapours or aerosols may cause respiratory tract irritation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
4-nonylphenol, branched	84852-15-3	>= 25 - < 50
2,2'-iminodi(ethylamine)	111-40-0	>= 10 - < 20
Diaminopolypropylene glycol	9046-10-0	>= 10 - < 20
bisphenol A	80-05-7	>= 5 - < 10
2,4,6-	90-72-2	>= 1 - < 5
tris(dimethylaminomethyl)phenol		
Polyethylene	9002-88-4	>= 1 - < 5
Phenol, 2-nonyl-, branched	91672-41-2	>= 1 - < 5
3,6,9-triazaundecamethylene-1,11-	112-57-2	>= 0.1 - < 1
diamine		

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	:	First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.
If inhaled	:	Keep patient calm, remove to fresh air. If symptoms persist, seek medical advice.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Seek medical attention.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses. Seek medical advice. If eye irritation persists, consult a specialist.
If swallowed	:	Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control cen- ter or doctor.
Most important symptoms and effects, both acute and delayed	:	Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May damage fertility or the unborn child.
Notes to physician	:	Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

WABO GEL LOC 1:1 PTB

Vers 1.0	sion	Revision Date: 08/01/2022		9S Number: 0000014655	Date of last issue: - Date of first issue: 08/01/2022
	Suitable extinguishing media		:	Foam Water spray Dry powder Carbon dioxide (C	202)
	Unsuita media	ble extinguishing	:	water jet	
	Hazard ucts	ous combustion prod-	:	nitrogen oxides corrosive gases/v fumes/smoke carbon oxides carbon black	apours
	Further	information	:	the fire conditions If exposed to fire, Collect contamina allow to reach sev Contaminated ext	k is governed by the burning substance and keep containers cool by spraying with water. ted extinguishing water separately, do not vage or effluent systems. inguishing water must be disposed of in official regulations.
	Special for fire-	protective equipment fighters	:	Firefighters should apparatus and tur	d be equipped with self-contained breathing n-out gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wear eye/face protection. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.
Environmental precautions	:	Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up with suitable appliance and dispose of.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Avoid formation of dust and aerosols. Avoid inhalation of dusts/mists/vapours. Avoid contact with the skin, eyes and clothing. Ensure adequate ventilation.
Further information on stor- age conditions	:	Keep only in the original container in a cool, dry, well- ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.

WABO GEL LOC 1:1 PTB

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/01/2022	960000014655	Date of first issue: 08/01/2022
pera Furtl	ommended storage tem- ture ner information on stor- stability	: 50 - 90 °F / 10 - 3 : Protect from moi	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
2,2'-iminodi(ethylamine)	111-40-0	TWA	1 ppm	ACGIH
		TWA	1 ppm 4 mg/m3	NIOSH REL
		TWA	1 ppm 4 mg/m3	OSHA P0
3,6,9-triazaundecamethylene- 1,11-diamine	112-57-2	TWA	5 mg/m3	US WEEL

Engineering measures : Ensure adequate ventilation.

Personal protective equipment

Respiratory protection :	Wear appropriate certified respirator when exposure limits may be exceeded. Wear a NIOSH-certified (or equivalent) respirator as nece sary.	
Hand protection		
Remarks :	Wear chemical resistant protective gloves. Manufacturer's directions for use should be observed because of great di versity of types.	
Eye protection :	Tightly fitting safety goggles (chemical goggles).	
Skin and body protection :	Body protection must be chosen based on level of activity and exposure.	,
Protective measures :	Do not inhale dust/fumes/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygien and safety practice. Wearing of closed work clothing is recommended.	Ie
Hygiene measures :	When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and a the end of the shift. At the end of the shift the skin should be cleaned and skin care agents applied. Gloves must be inspected regularly and prior to each use.)-

WABO GEL LOC 1:1 PTB

Version 1.0	Revision Date: 08/01/2022		S Number:)000014655	Date of last issue: - Date of first issue: 08/01/2022
			Replace if neces	sary (e.g. pinhole leaks).
SECTION	9. PHYSICAL AND CHI	EMIC	CAL PROPERTIE	S
Appea	arance	:	liquid	
Color		:	amber	
Odor		:	slight, pungent	
Odor ⁻	Threshold	:	not determined	
рН		:	No data availabl	e
Meltin	g point/freezing point	:	not determined	
Boilinç	g point/boiling range	:	not determined	
Flash	point	:	> 200 °F / > 93 °	°C
			Method: Seta clo	osed cup
Evapo	pration rate	:	< 1 (Diethylether=1.	0)
Flamm	nability (liquids)	:	not flammable	
Self-ig	pnition	:	not self-igniting	
Upper flamm	explosion limit / Upper ability limit	:	No data availabl	e
	explosion limit / Lower ability limit	:	No data availabl	e
Vapor	pressure	:	No data availabl	e
Relativ	ve vapor density	:	Heavier than air	
Relativ	ve density	:	1.20	
Densit	ty	:	No data availabl	е
	ility(ies) ater solubility	:	practically insolu	ıble
So	lubility in other solvents	:	No data availabl	e
	on coefficient: n- bl/water	:	not applicable fo	or mixtures

WABO GEL LOC 1:1 PTB

Version 1.0	Revision Date: 08/01/2022		S Number: 0000014655	Date of last issue: - Date of first issue: 08/01/2022
	toignition temperature	:	Not applicable No decompositic scribed/indicated	n if stored and handled as pre- l.
	scosity Viscosity, dynamic Viscosity, kinematic	:	No data availabl	-
Ex	plosive properties	:	Not explosive	
Ox	Oxidizing properties		No data availabl	e
Su	Sublimation point		No data availabl	e
Мс	Molecular weight		Not applicable	
SECTIO	ON 10. STABILITY AND R	EAC	ΤΙVITY	
Re	pactivity	:	No hazardous re scribed/indicated	actions if stored and handled as pre-
Ch	emical stability	:	The product is st scribed/indicated	able if stored and handled as pre- I.

Possibility of hazardous reac- : The product is stable if stored and handled as prescribed/indicated.

Avoid contamination.

as prescribed/indicated.

: No hazardous decomposition products if stored and handled

: Avoid heat.

: Acids

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity Harmful if swallowed.		
Product: Acute oral toxicity	:	Acute toxicity estimate: 919.12 mg/kg Method: Calculation method

Skin corrosion/irritation

Causes severe burns.

tions

products

Conditions to avoid

Incompatible materials

Hazardous decomposition

WABO GEL LOC 1:1 PTB

ersion .0	Revision Date: 08/01/2022		Number: 000014655	Date of last issue: - Date of first issue: 08/01/2022
Serio	ous eye damage/eye irr	itatior	ı	
Caus	es serious eye damage.			
Resp	iratory or skin sensitiz	ation		
Skin	sensitization			
May	cause an allergic skin re	action		
Resp	iratory sensitization			
Not c	lassified based on availa	able in	formation.	
Germ	n cell mutagenicity			
Not c	lassified based on availa	able in	formation.	
Carci	inogenicity			
Not c	lassified based on availa	able in	formation.	
Repr	oductive toxicity			
May o	damage fertility or the ur	nborn o	child.	
	F-single exposure			
Not c	lassified based on availa	able in	formation.	
	F -repeated exposure			
	lassified based on availa	able in	formation.	
	ration toxicity			
	lassified based on availa	able in	formation.	
Furth	ner information			
Prod	<u>uct:</u>			
Rema	arks	g		is not been tested. The statements on toxicolo derived from the properties of the individual
ECTION	12. ECOLOGICAL INF	ORMA	TION	
Ecote	oxicity			
Prod	uct:			
Ecote	oxicology Assessment	:		
Acute	e aquatic toxicity	: \	/ery toxic to a	quatic life.
Chror	nic aquatic toxicity	: \	/ery toxic to a	quatic life with long lasting effects.
Com	ponents:			
Com				
	nylphenol, branched:			

M-Factor (Chronic aquatic : 10 toxicity)

WABO GEL LOC 1:1 PTB

/ersion .0	Revision Date: 08/01/2022	•-	OS Number: 0000014655	Date of last issue: - Date of first issue: 08/01/2022
Persi	stence and degradab	oility		
Prod	uct:			
Biode	egradability	:	ingredients, the	ng into consideration the properties of several product is estimated not to be readily biode- ding to OECD classification.
Bioa	ccumulative potential			
No da	ata available			
Mobi	lity in soil			
No da	ata available			
Othe	r adverse effects			
Prod	uct:			
Additi matio	ional ecological infor- m	:	The product ha	ge product into the environment without control s not been tested. The statements on ecotoxi- en derived from the properties of the individua

Waste from residues	:	Observe national and local legal requirements. Disposal requirements are dependent on the hazard classifi- cation and will vary by location and the type of disposal se- lected. The use and processing of this product, or addition of other constituents, may cause it to be considered a hazardous waste. Residues should be disposed of in the same manner as the substance/product.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thor- oughly cleaned. Packs that cannot be cleaned should be disposed of in the same manner as the contents.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number Proper shipping name	:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIETHYLENETRIAMINE)
Class Subsidiary risk Packing group	:	9 EHSM III

WABO GEL LOC 1:1 PTB

ersion .0	Revision Date: 08/01/2022		OS Number: 0000014655		Date of last issue: - Date of first issue: (
Labels	5	:	9 (EHSM)			
Class Subsic Packir Labels Packir aircraf	No. r shipping name diary risk ng group s ng instruction (cargo it) ng instruction (passen-		(DIETHYLENE 9 EHSM III	ÉTF	azardous substance RIAMINE) wironmentally hazar	
UN nu	-Code Imber r shipping name	:	UN 3082 ENVIRONMEN N.O.S. (DIETHYLENE			SUBSTANCE, LIQUIE
Packir Labels EmS (9 EHSM III 9 (EHSM) F-A, S-F yes		,	
Trans	port in bulk according	j to	Annex II of MA	RP	OL 73/78 and the IE	3C Code
Not ap	oplicable for product as	sup	plied.			
Dome	stic regulation					
	R /NA number r shipping name	:	UN 3082 Environmental	ly h	azardous substance	e, liquid, n.o.s.
Packir Labels ERG ((DIETHYLENE 9 EHSM III CLASS 9, Env 171 yes		RIAMINE)	
ECTION	15. REGULATORY INF	OR	MATION			
SARA	313	:			ponents are subject A Title III, Section 31	to reporting levels es 3:
			4-nonylphenol,		84852-15-3	>= 25 - < 50 %

4-nonylphenol, branched	84852-15-3	>= 25 - < 50 %
bisphenol A	80-05-7	>= 5 - < 10 %

US State Regulations

Pennsylvania Right To Know

WABO GEL LOC 1:1 PTB

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/01/2022	960000014655	Date of first issue: 08/01/2022
	4-nonylphenol, t 2,2'-iminodi(ethy bisphenol A		84852-15-3 111-40-0 80-05-7
New .	Jersey Right To Kno)w	
2,2'-iminodi(ethylamine)			111-40-0
bisphenol A			80-05-7

California Prop. 65

WARNING: This product can expose you to chemicals including Carbon black, which is/are known to the State of California to cause cancer, and

bisphenol A, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TSCA	:	All substances listed as active on the TSCA inventory
DSL	:	This product contains one or more components listed on the Canadian NDSL. All other components are on the Canadian DSL.

TSCA list


The following substance(s) is/are subject to a Significant New Use Rule: 4-nonylphenol, branched 84852-15-3

The following substance(s) is/are subject to TSCA 12(b) export notification requirements: 4-nonylphenol, branched 84852-15-3


SECTION 16. OTHER INFORMATION



NFPA 704:



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

WABO GEL LOC 1:1 PTB

Version 1.0	Revision Date: 08/01/2022		DS Number: 0000014655	Date of last issue: - Date of first issue: 08/01/2022	
ACGIH NIOSH REL			USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits		
OSHA P0			USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)		
US WEEL		:	USA. Workplace Environmental Exposure Levels (WEEL)		
ACGIH / TWA		:	8-hour, time-weighted average		
NIOSH REL / TWA		:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek		
OSHA P0 / TWA US WEEL / TWA			8-hour time weighted average 8-hr TWA		

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

: 08/01/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

WABO GEL LOC 1:1 PTB

VersionRevision Date:SDS Number:Date of last issue: -1.008/01/2022960000014655Date of first issue: 08/01/2022

US / EN